

Pickleball Guidelines for Return to Play

Please do not attend if:

- You have been or feel ill with fever, cough, or shortness of breath.
- You have been exposed to or had close contact with a person who has or may have COVID 19.
- Are currently waiting on COVID-19 results.
- Are not comfortable following the mask guidelines.

What should I expect when I arrive at the WROC?

- Entrance and exit will be through the main WROC doors located behind the church. All other entrances will be locked.
- Participants are to **arrive no earlier than 10 minutes** before start time and exit immediately after the session.
- Players will check in outside of the WROC entrance (weather permitting). Check-in areas are marked for social distance safety.
- Temperature check and brief health screening upon entry.

What Health and Safety procedures are in place?

- To allow for social distancing there will be 20 players maximum per session. Players will select a seat upon arrival, and this is their assigned seat for the evening. Water bottles and all belongings are kept at the player's assigned seat.
- Players are required to wear masks to enter the facility, during exercise, and until exiting the facility.
- Exterior doors will be propped open to avoid high touch areas.
- Hand sanitizer stations are available.
- Please bring your own water bottles. For safety, the fountains will not be in use.
- Balls are sanitized and replaced after each game. Players must sanitize hands before they retrieve a clean ball.
- Players are to sanitize hands after play.

How will the WROC be cleaned and sanitized?

- Cleaning agents used to sanitize the facilities and equipment are EPA compliant to neutralize viruses including COVID-19.
- High-touch areas will be disinfected frequently throughout the day.
- The WROC will be disinfected daily and between each use of the facility.
- Disinfecting stations have been set up in the WROC.
- HVAC adjustments and filter replacements have been installed following CDC guidance.
- An air ionization system has been installed to purify the indoor air by eliminating airborne particulates, odors and pathogens.

